eRoom FAQ & Troubleshooting

FAQs

Specific

Which URLs do I need for the crawl?

The connector uses a specific eRoom URL with a format like:

http://<Server_Name>/eRoom/<Facility_Name>/TEST_EROOM

URL indicated above will crawl the complete eRoom named TEST_EROOM

Can the eRoom Connector crawl archived eRooms?

No, the eRoom Connector is only able to crawl active eRooms in the server. In order to crawl the archived eRooms, you will need to restore it before attempting to crawl.

General

Why does an incremental crawl last as long as a full crawl?

Some connectors perform incremental crawls based on snapshot entries, which are meant to match the exact documents that have been indexed by the connector to the search engine. On an incremental crawl, the connector fully crawls the repository the same way as a full crawl, but it only indexes the modified, new or deleted documents during that crawl.

For a discussion on crawling, see Full & Incremental Crawls.

Save your content source before creating or editing another one

Failing to save a content source before creating or editing another content source can result in an error.

ERROR [aspire]: Exception received attempting to get execute component command com.accenture.aspire.services. AspireException: Unable to find content source

Save the initial content source before creating or working on another.


My connector keeps the same status "Running" and is not doing anything

After a crawl has finished, the connector status may not be updated correctly.

To confirm this, do the following:

- 1. In Robo 3T (formerly Robomongo), go to your connector database (like: aspire-nameOfYourConnector).
- 2. Open the "Status" collection and perform the following query:

db.getCollection('status').find({}).limit(1).sort({\$natural:-1})



3, Edit the entry and set the status to "S" (Completed).

Note: To see the full options of "Status" values, see MongoDB Collection Status.

My connector is not providing group expansion results

Make sure your connector has a manual scheduler configured for Group Expansion.




1, Go to the Aspire debug console, and look for the respective scheduler (in the fourth table: Aspire Application Scheduler).

Aspire Application Scheduler:

Scheduler	enabled					
Name	Schedule	Last run	Next run	Status		
licenseCheck	000**?	never	2019-10-03T06:00:00Z		detail run	disable
Lotus:1	manual	never	disabled	disabled	detail run	,
Lotus:2	manual	never	disabled	disabled	detail run	

- 2. If you are unsure which scheduler is for Group Expansion, you can check the Schedule Detail.
 - O You can identify it with the value: cacheGroups



- 3. To run the Group Expansion process, click \emph{Run} .
- Aspire Application Scheduler:

Scheduler	enabled				
Name	Schedule	Last run	Next run	Status	
licenseCheck	000**?	never	2019-10-03T06:00:00Z		detail run disable
Lotus:1	manual	never	disabled	disabled	detail run
Lotus:2	manual	never	disabled	disabled	detail run

Troubleshooting



No available troubleshooting at this moment